

2012-2013


National Survey on Drug Use and Health

National Maps of Prevalence Estimates, by State

The 98 national maps presented here show 2012-2013 National Survey on Drug Use and Health (NSDUH) estimates for 25 substance use and mental health outcomes, by age group, for 50 States and the District of Columbia. Each Web link in the table of contents can be used to navigate to all of the maps (for all age groups) for the outcome listed in that row. The color of each State on the U.S. maps indicates how the State ranks relative to other States for each measure. States could fall into one of five groups according to their ranking by quintiles. Because there are 51 areas to be ranked for each measure, the middle quintile was assigned 11 areas and the remaining groups 10 each. In some cases, a "quintile" could have more or fewer States than desired because two (or more) States have the same estimate (to two decimal places). When such ties occurred at the "boundary" between two quintiles, all States with the same estimate were assigned to the lower quintile. Those States with the highest estimates for a given measure are in red, with the exception of the perceptions of risk measures, for which the lowest perceptions of great risk are in red. Those States with the lowest estimates are in white, with the exception of the perceptions of risk measures, for which the highest perceptions of great risk are in white. The upper and lower limits of each quintile shown in the map legend collectively define a continuum and are not necessarily the actual values of a particular area. For example, in [Figure 1a](#), the values on the boundary in the lowest quintile correspond to Kansas (6.02 percent) and Texas (7.17 percent) and are displayed in the legend. In the next to lowest quintile, Kentucky (7.25 percent) and Indiana (7.94 percent) are the States with the lowest and highest values; however, in the continuum of the legend, the lower limit was assigned a value of 7.18 percent because the upper limit of the quintile below it is 7.17 percent.


Tables containing specific estimates for these States are available on the 2012-2013 NSDUH State Web page at <http://www.samhsa.gov/data/population-data-nsduh/reports?tab=33>.

Figure 1a *Illicit Drug Use in the Past Month among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 1b *Illicit Drug Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 1c *Illicit Drug Use in the Past Month among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 1d *Illicit Drug Use in the Past Month among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 2a *Marijuana Use in the Past Year among Individuals Aged 12 or Older, by State:*
Percentages, Annual Averages Based on 2012 and 2013 NSDUHs




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 2b *Marijuana Use in the Past Year among Youths Aged 12 to 17, by State:*
Percentages, Annual Averages Based on 2012 and 2013 NSDUHs




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 2c *Marijuana Use in the Past Year among Adults Aged 18 to 25, by State:*
Percentages, Annual Averages Based on 2012 and 2013 NSDUHs




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 2d *Marijuana Use in the Past Year among Adults Aged 26 or Older, by State:*
Percentages, Annual Averages Based on 2012 and 2013 NSDUHs




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 3a *Marijuana Use in the Past Month among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 3b *Marijuana Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 3c *Marijuana Use in the Past Month among Adults Aged 18 to 25, by State:*
Percentages, Annual Averages Based on 2012 and 2013 NSDUHs




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 3d *Marijuana Use in the Past Month among Adults Aged 26 or Older, by State:*
Percentages, Annual Averages Based on 2012 and 2013 NSDUHs




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 4a *Perceptions of Great Risk of Smoking Marijuana Once a Month among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 4b *Perceptions of Great Risk of Smoking Marijuana Once a Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 4c *Perceptions of Great Risk of Smoking Marijuana Once a Month among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 4d *Perceptions of Great Risk of Smoking Marijuana Once a Month among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 5a *First Use of Marijuana among Individuals Aged 12 or Older, by State: Average Annual Incidence Estimates (Expressed as Percentages) Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 5b *First Use of Marijuana among Youths Aged 12 to 17, by State: Average Annual Incidence Estimates (Expressed as Percentages) Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 5c *First Use of Marijuana among Adults Aged 18 to 25, by State: Average Annual Incidence Estimates (Expressed as Percentages) Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 6a *Illicit Drug Use Other Than Marijuana in the Past Month among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 6b *Illicit Drug Use Other Than Marijuana in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 6c *Illicit Drug Use Other Than Marijuana in the Past Month among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013*
NSDUHs




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 6d *Illicit Drug Use Other Than Marijuana in the Past Month among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013*
NSDUHs




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 7a *Cocaine Use in the Past Year among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 7b *Cocaine Use in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 7c *Cocaine Use in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 7d *Cocaine Use in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 8a *Nonmedical Use of Pain Relievers in the Past Year among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 8b *Nonmedical Use of Pain Relievers in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 8c *Nonmedical Use of Pain Relievers in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 8d *Nonmedical Use of Pain Relievers in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 9a *Alcohol Use in the Past Month among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 9b *Alcohol Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 9c *Alcohol Use in the Past Month among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 9d *Alcohol Use in the Past Month among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 10a *Binge Alcohol Use in the Past Month among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 10b *Binge Alcohol Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 10c *Binge Alcohol Use in the Past Month among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 10d *Binge Alcohol Use in the Past Month among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 11a *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 11b *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 11c *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 11d *Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 12a *Alcohol Use in the Past Month among Individuals Aged 12 to 20, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 12b *Binge Alcohol Use in the Past Month among Individuals Aged 12 to 20, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 13a *Tobacco Product Use in the Past Month among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 13b *Tobacco Product Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 13c *Tobacco Product Use in the Past Month among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 13d *Tobacco Product Use in the Past Month among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 14a *Cigarette Use in the Past Month among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 14b *Cigarette Use in the Past Month among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 14c *Cigarette Use in the Past Month among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 14d *Cigarette Use in the Past Month among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 15a *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 15b *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 15c *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 15d *Perceptions of Great Risk of Smoking One or More Packs of Cigarettes per Day among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 16a *Alcohol Dependence or Abuse in the Past Year among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 16b *Alcohol Dependence or Abuse in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 16c *Alcohol Dependence or Abuse in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 16d *Alcohol Dependence or Abuse in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 17a *Alcohol Dependence in the Past Year among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 17b *Alcohol Dependence in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 17c *Alcohol Dependence in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 17d *Alcohol Dependence in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 18a *Illicit Drug Dependence or Abuse in the Past Year among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 18b *Illicit Drug Dependence or Abuse in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 18c *Illicit Drug Dependence or Abuse in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 18d *Illicit Drug Dependence or Abuse in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 19a *Illicit Drug Dependence in the Past Year among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 19b *Illicit Drug Dependence in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 19c *Illicit Drug Dependence in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 19d *Illicit Drug Dependence in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 20a *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 20b *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 20c *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 20d *Dependence or Abuse of Illicit Drugs or Alcohol in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 21a *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 21b *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 21c *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 21d *Needing But Not Receiving Treatment for Illicit Drug Use in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 22a *Needing But Not Receiving Treatment for Alcohol Use in the Past Year among Individuals Aged 12 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 22b *Needing But Not Receiving Treatment for Alcohol Use in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 22c *Needing But Not Receiving Treatment for Alcohol Use in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 22d *Needing But Not Receiving Treatment for Alcohol Use in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 23a *Serious Mental Illness in the Past Year among Adults Aged 18 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 23b *Serious Mental Illness in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 23c *Serious Mental Illness in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 24a *Any Mental Illness in the Past Year among Adults Aged 18 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 24b *Any Mental Illness in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 24c *Any Mental Illness in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 25a *Had Serious Thoughts of Suicide in the Past Year among Adults Aged 18 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013*
NSDUHs




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 25b *Had Serious Thoughts of Suicide in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 25c *Had Serious Thoughts of Suicide in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 26a *Had at Least One Major Depressive Episode in the Past Year among Adults Aged 18 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 26b *Had at Least One Major Depressive Episode in the Past Year among Youths Aged 12 to 17, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*




Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 26c *Had at Least One Major Depressive Episode in the Past Year among Adults Aged 18 to 25, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*



Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.

Figure 26d *Had at Least One Major Depressive Episode in the Past Year among Adults Aged 26 or Older, by State: Percentages, Annual Averages Based on 2012 and 2013 NSDUHs*



Source: SAMHSA, Center for Behavioral Health Statistics and Quality, NSDUH, 2012 and 2013.