

---

# Appendix C

---

Additional results  
from the Community  
Survey

---

NM SPF SIG

---

## **Introduction**

Section I contains the tables that present the unweighted and weighted results, including demographic information, bivariate analysis of high risk drinking behaviors stratified by group/year and by sex/year/group, and mean scores of the intervening variables. Section II includes the tables of the results of unweighted logistic regression and GLM regression models. Also included in the logistic regression models is a rescaled R-square term. There are two tables for each outcome: one without an interaction term and one with an interaction term included. These tables provide information on the associations of the sociodemographic variables with each of the outcomes and intervening variables along with the relationship of year and group to the outcome. These tables are provided to complement the graphs included in the text and provide additional information about the data. There is one exception (Table 20a) where we have presented the table for the weighted regression analysis because for this one outcome, the results differed significantly from the unweighted results.

## Section I

**Table 1: Unweighted Demographics of SPF SIG and Comparison Communities from 2008 to 2010**

	2008				2009				2010			
	SPF SIG Communities (N = 2,360)		Comparison Communities (N = 494)		SPF SIG Communities (N = 5,339)		Comparison Communities (N = 1,672)		SPF SIG Communities (N = 5,591)		Comparison Communities (N = 2,306)	
<b>Biological Sex</b>	N	%	N	%	N	%	N	%	N	%	N	%
Male	864	36.6	185	60.5	2162	40.5	616	36.8	2309	41.3	994	43.1
Female	1441	61.1	299	37.5	3144	58.9	1045	62.5	3259	58.3	1299	56.3
Missing	55	2.3	10	2.0	33	0.6	11	0.7	23	0.4	13	0.6
<b>Race/Ethnicity</b>												
Non-Hispanic White	860	36.5	131	26.5	1521	28.5	386	23.1	1526	27.3	560	24.3
Hispanic/Latino	904	38.3	142	28.7	2365	44.3	885	52.9	2593	46.4	1210	52.5
Native American/Alaskan	447	18.9	202	40.9	1068	20.0	249	14.9	1055	18.9	381	16.5
Other*	149	6.3	19	3.9	385	7.2	152	9.1	417	7.4	155	6.7
<b>Age</b>												
18-20	357	15.1	21	4.3	522	9.8	183	10.9	762	13.6	305	13.2
21-24	342	14.5	37	7.5	582	10.9	170	10.2	636	11.4	213	9.2
25-34	498	21.1	119	24.1	1145	21.4	396	23.7	1309	23.4	488	21.2
35-44	454	19.3	134	27.1	1122	21.0	309	18.5	1050	18.8	456	19.8
45 and over	709	30.0	183	37.0	1968	36.9	614	36.7	1834	32.8	844	36.6
<b>Length of time lived in NM</b>												
< 1 year	125	5.3	14	2.8	247	4.6	127	7.6	278	5.0	149	6.5
1 to 5 years	235	10.0	56	11.4	631	11.8	255	15.3	713	12.8	244	10.6
> 5 years	1947	82.5	414	83.8	4368	81.8	1265	75.6	4504	80.5	1880	81.5
Missing	53	2.2	10	2.0	93	1.8	25	1.5	96	1.7	33	1.4
<b>Language other than English spoken at home</b>												
Yes	928	39.3	247	50.0	2514	47.1	924	55.3	2622	46.9	1279	55.4
No	1359	57.6	234	47.4	2680	50.2	719	43.0	2791	46.9	945	41.0
Missing	73	3.1	13	2.6	145	2.7	29	1.7	178	3.2	82	3.6

\* Other category includes African Americans/Blacks, Asian/Pacific Islanders, and other un-specified race/ethnicities

**Table 2:** Unweighted Reported Prevalence of High Risk Drinking Behaviors between SPF SIG and Comparison Communities from 2008 to 2010

High Risk Drinking Behavior	Comparison Communities			SPF SIG Communities		
	2008	2009	2010	2008	2009	2010
Rode in a car at least once in the past 30 days with someone who had been drinking	11.4%	12.9%	12.2%	15.3%	13.0%	12.38% <sup>a</sup>
Drank alcohol at least once in the past 30 days	40.3%	41.1%	37.8%	50.1%	40.7%	38.51% <sup>b</sup>
Drank 5 or more drinks in one sitting at least once in the past 30 days	17.5%	18.7%	16.1%	21.7%	16.6%	17.96% <sup>c</sup>
Drove at least once in the past 30 days when they had perhaps too much to drink	3.6%	4.4%	4.6%	5.1%	4.7%	4.3%
Drove at least once in the past 30 days after drinking 5 or more drinks	3.8%	4.5%	4.0%	4.4%	3.9%	3.7%
Drove under the influence of alcohol only at least once in the past 12 months	11.0%	18.8%	14.3%	14.6%	13.7%	13.4%

*Note.* a. there was a decreasing trend from 2008 to 2010 ( $p < .001$ ).

b. there was a decreasing trend from 2008 to 2010 ( $p < .0001$ ).

c. there was a decreasing trend from 2008 to 2010 ( $p < .006$ ).

**Table 3:** Unweighted Mean frequency of High Risk Drinking Behavior and Average Age at First Drink of Alcohol for SPF SIG and Comparison Communities

High Risk Drinking Behavior	Comparison Communities						SPF SIG Communities					
	2008		2009		2010		2008		2009		2010	
	Mean	95% CI	Mean	95% CI	Mean	95% CI	Mean	95% CI	Mean	95% CI	Mean	95% CI
The average number of times in the past 30 days that the respondent rode in a car with someone who had been drinking	0.5	0.21-0.78	0.5	0.35-0.57	0.7	0.49-0.89	0.5	0.43-0.60	0.5	0.45-0.62	0.5	0.43-0.60
Range	0-60 times		0-60 times		0-100 times		0-50 times		0-100 times		0-150 times	
The average number of times in the past 30 days that the respondent consumed 1 or more alcoholic drinks	2.2	1.70-2.61	2.6 <sup>a</sup>	2.34-2.87	2.2 <sup>a</sup>	1.93-2.37	3.2 <sup>b</sup>	2.96-3.45	2.7 <sup>b</sup>	2.52-2.87	2.3 <sup>b</sup>	2.18-2.46
Range	0-32 times		0-38 times		0-100 times		0-30 times		0-100 times		0-33 times	
The average number of times in the past 30 days that the respondent drank 5 or more drinks on one occasion	0.6	0.39-0.90	0.9	0.69-1.02	0.7	0.59-0.88	0.8	0.70-0.91	0.8	0.70-0.87	0.7	0.63-0.77
Range	0-32 times		0-74 times		0-74 times		0-30 times		0-90 times		0-40 times	
The average number of times in the past 30 days that the respondent drove when he/she had too much to drink	0.1	0.02-0.13	0.1	0.08-0.16	0.2	0.10-0.30	0.1	0.08-0.15	0.1	0.10-0.17	0.1	0.09-0.14
Range	0-10 times		0-15 times		0-100 times		0-30 times		0-30 times		0-30 times	
<b>Average Age at First Drink of Alcohol</b>												
The average age in years of the respondent at his/her first drink of alcohol	16.5	16.13-16.87	16.6	16.31-16.87	16.4	16.15-16.56	16.0	15.86-16.18	16.0	15.89-16.16	15.9	15.78-16.03
Range	5-45 years		0-89 years		0-65 years		2-51 years		0-88 years		0-64 years	

Note. Means that share the same superscript letter are significantly different from each other. All *ps* < .05.

**Table 4:** Unweighted Mean score on intervening variable scales by group and year; higher scores are better

Intervening Variable	Comparison Communities						SPF SIG Communities					
	2008		2009		2010		2008		2009		2010	
	Mean	95% CI	Mean	95% CI	Mean	95% CI	Mean	95% CI	Mean	95% CI	Mean	95% CI
Perception of risk associated with underage drinking and over consumption of alcohol (Range = 1 - 4)	2.80	2.73-2.88	2.84	2.80-2.88	2.87	2.84-2.91	2.75 <sup>a</sup>	2.71-2.78	2.94 <sup>a</sup>	2.91-2.96	2.86 <sup>a</sup>	2.84-2.88
Perception of risk associated with drinking and driving (Range = 1 - 4)	3.24	3.16-3.31	3.18 <sup>b</sup>	3.13-3.22	3.32 <sup>b</sup>	3.29-3.36	3.25 <sup>cd</sup>	3.22-3.28	3.31 <sup>c</sup>	3.29-3.33	3.30 <sup>d</sup>	3.28-3.32
Support of local ATOD prevention efforts (Range = 0 - 2)	1.46	1.40-1.52	1.39	1.36-1.42	1.42	1.39-1.45	1.46	1.43-1.49	1.44	1.42-1.46	1.44	1.42-1.46
Awareness of local prevention activities (Range = 0 - 2)	0.90	0.85-0.95	0.89	0.86-0.91	0.92	0.90-0.95	1.03 <sup>e</sup>	1.00-1.05	1.00	0.98-1.01	0.97 <sup>e</sup>	0.96-0.99
Drinking norms and drinking and driving norms (Range = 1 - 5)	3.94 <sup>f</sup>	3.86-4.01	3.72 <sup>fg</sup>	3.67-3.77	3.85 <sup>g</sup>	3.81-3.89	3.89 <sup>h</sup>	3.86-3.92	3.77 <sup>h</sup>	3.74-3.80	3.82 <sup>h</sup>	3.79-3.84

Note. Means that share the same superscript letter are significantly different from each other. All  $ps < .05$ .

**Table 5:** Unweighted Reported prevalence of alcohol consumption and drinking and driving in SPF SIG and Comparison communities from 2008 to 2010, stratified by biological sex.

High Risk Drinking Behavior	MALES						FEMALES					
	Comparison Communities			SPF SIG Communities			Comparison Communities			SPF SIG Communities		
	2008	2009	2010	2008	2009	2010	2008	2009	2010	2008	2009	2010
Rode in a car at least once in the past 30 days with someone who had been drinking	12.64	16.64	12.54	16.09 <sup>a</sup>	14.84 <sup>a</sup>	12.76 <sup>a</sup>	10.32	10.70	12.07	15.00 <sup>a</sup>	11.78 <sup>a</sup>	12.14 <sup>a</sup>
Drank alcohol at least once in the past 30 days	44.77	50.00	42.20	56.37 <sup>b</sup>	42.84 <sup>b</sup>	40.54 <sup>b</sup>	37.01	36.01	34.72	46.11 <sup>b</sup>	39.29 <sup>b</sup>	37.27 <sup>b</sup>
Drank 5 or more drinks in one sitting at least once in the past 30 days	23.86 <sup>a</sup>	27.97 <sup>a</sup>	20.71 <sup>a</sup>	27.99 <sup>a</sup>	21.76 <sup>a</sup>	22.85 <sup>a</sup>	13.73	13.39	12.87	17.92	13.15	14.75
Drove at least once in the past 30 days when they had perhaps too much to drink	5.68	5.50	6.16	6.66	6.92	5.62	2.46	3.66	3.46	4.15	3.29	3.44
Drove at least once in the past 30 days after drinking 5 or more drinks	6.63	6.05	5.28	5.68	6.37	4.62	2.08	3.51	3.02	3.39	2.20	2.96
Drove under the influence of alcohol only at least once in the past 12 months	12.85	26.48	17.32	18.48	17.03	15.70	9.79	14.43	12.15	12.21	11.49	11.80

Note. a. there was a decreasing trend from 2008 to 2010 ( $p < .05$ ).

b. there was a decreasing trend from 2008 to 2010 ( $p < .0001$ ).

**Table 5a:** Weighted Reported prevalence of alcohol consumption and drinking and driving in SPF SIG and Comparison communities from 2008 to 2010, stratified by biological sex.

High Risk Drinking Behavior	MALES						FEMALES					
	Comparison Communities			SPF SIG Communities			Comparison Communities			SPF SIG Communities		
	2008	2009	2010	2008	2009	2010	2008	2009	2010	2008	2009	2010
Rode in a car at least once in the past 30 days with someone who had been drinking	8.33	13.94	11.01	13.67 <sup>b</sup>	13.30 <sup>b</sup>	10.97 <sup>b</sup>	9.31	9.85	12.06	13.48	10.79	11.21
Drank alcohol at least once in the past 30 days	45.50	47.58	43.14	58.48 <sup>c</sup>	45.31 <sup>c</sup>	42.21 <sup>c</sup>	46.34	37.57	38.44	51.48 <sup>g</sup>	44.06 <sup>g</sup>	41.66 <sup>g</sup>
Drank 5 or more drinks in one sitting at least once in the past 30 days	19.31	23.47	19.44	25.33 <sup>d</sup>	18.78 <sup>d</sup>	20.40 <sup>d</sup>	9.71	12.00	11.66	15.03	10.99	12.66
Drove at least once in the past 30 days when they had perhaps too much to drink	2.50 <sup>a</sup>	4.31 <sup>a</sup>	5.49 <sup>a</sup>	6.34 <sup>e</sup>	5.76 <sup>e</sup>	4.75 <sup>e</sup>	1.94	2.63	2.57	3.97	2.77	2.97
Drove at least once in the past 30 days after drinking 5 or more drinks	4.39	4.80	4.16	5.40 <sup>f</sup>	4.92 <sup>f</sup>	3.92 <sup>f</sup>	0.97	2.94	1.89	2.83	1.50	2.11
Drove under the influence of alcohol only at least once in the past 12 months	10.84	23.35	15.50	17.52	14.48	14.52	8.33	12.58	10.54	11.00	10.82	10.94

Note. a. there was a increasing trend from 2008 to 2010 ( $p = .05$ ).

b. there was a decreasing trend from 2008 to 2010 ( $p < .001$ ).

c. there was a decreasing trend from 2008 to 2010 ( $p < .0001$ ).

d. there was a decreasing trend from 2008 to 2010 ( $p < .02$ ).

e. there was a decreasing trend from 2008 to 2010 ( $p < .04$ ).

f. there was a decreasing trend from 2008 to 2010 ( $p < .03$ ).

g. there was a decreasing trend from 2008 to 2010 ( $p < .0001$ ).

## Section II

**Table 7:** Examining the effect of the group membership and year of having ridden in a car with a driver who had been drinking controlling for the effect of demographic background, time spent living in NM, language spoken at home, and age at first drink. (N=12, 995)

Predictors		OR	95% CI	
Group				
	Comparison	<i>Referent</i>		
	SPF SIG	1.02	0.908	– 1.149
Year				
	2008	<i>Referent</i>		
	2009	0.94	0.814	– 1.081
	2010	0.87*	0.751	– 0.996
<b>Control Variables</b>				
Biological Sex				
	Female	<i>Referent</i>		
	Male	1.12*	1.010	– 1.239
Race/Ethnicity				
	Non-Hispanic White	<i>Referent</i>		
	Hispanic/Latino	0.97	0.848	– 1.111
	Native American	1.05	0.891	– 1.238
	Other	0.76*	0.588	– 0.984
Age				
	45 and over	<i>Referent</i>		
	18 to 20	3.11****	2.576	– 3.744
	21 to 24	3.26****	2.745	– 3.879
	25 to 34	1.85****	1.594	– 2.151
	35 to 44	1.40****	1.193	– 1.635
Student				
	No	<i>Referent</i>		
	Yes	1.17**	1.031	– 1.334
Length of time living in NM				
	Less than 1 year	<i>Referent</i>		
	1 to 5 years	0.85	0.661	– 1.083
	More than 5 years	0.82	0.661	– 1.013
Language other than English spoken at home				
	No	<i>Referent</i>		
	Yes	1.07	0.958	– 1.203
Age at First Drink				
		0.95****	0.935	– 0.961

Max-Rescaled R-Squared based on Logistic Regression = .07

\* $p \leq .05$ , \*\* $p \leq .01$ , \*\*\*\* $p \leq .0001$

**Table 8:** Examining *the interaction effect of group membership and year of having ridden in a car with a driver who had been drinking* controlling for demographic background, time spent living in NM, language spoken at home, and age at first drink. (N=12,995)

Predictors		OR	95% CI		
<b>Group*Year</b>					
Comparison	Year2008	<i>Referent</i>			
	2009	1.19	0.837	–	1.697
	2010	1.08	0.766	–	1.527
SPF SIG	Year2008	<i>Referent</i>			
	2009	0.89	0.765	–	1.045
	2010	0.83*	0.709	–	0.968
<b>Control Variables</b>					
<b>Biological Sex</b>					
	Female	<i>Referent</i>			
	Male	1.12*	1.01	–	1.239
<b>Race/Ethnicity</b>					
	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	0.97	0.847	–	1.111
	Native American	1.06	0.898	–	1.248
	Other	0.76	0.587	–	0.983
<b>Age</b>					
	45 and over	<i>Referent</i>			
	18 to 20	3.10****	2.569	–	3.733
	21 to 24	3.26****	2.741	–	3.875
	25 to 34	1.85****	1.595	–	2.152
	35 to 44	1.40****	1.196	–	1.638
<b>Student</b>					
	No	<i>Referent</i>			
	Yes	1.17*	1.027	–	1.329
<b>Length of time living in NM</b>					
	Less than 1 year	<i>Referent</i>			
	1 to 5 years	0.85	0.666	–	1.091
	More than 5 years	0.82	0.664	–	1.018
<b>Language other than English spoken at home</b>					
	No	<i>Referent</i>			
	Yes	1.07	0.958	–	1.203
<b>Age at First Drink</b>					
		0.95****	0.935	–	0.961
Max-Rescaled R-Squared based on Logistic Regression = .07					

\* $p \leq .05$ , \*\*\*\* $p \leq .0001$

**Table 9:** Examining the effect of the group membership and year *on past 30 day alcohol use* controlling for the effect of demographic background, time spent living in NM, language spoken at home, and age at first drink. (N=12,957)

Predictors		OR	95% CI		
Group					
	Comparison	<i>Referent</i>			
	SPF SIG	1.03	0.944	–	1.114
Year					
	2008	<i>Referent</i>			
	2009	0.82***	0.736	–	0.908
	2010	0.74****	0.664	–	0.818
Control Variables					
Biological Sex					
	Female	<i>Referent</i>			
	Male	1.27****	1.177	–	1.365
Race/Ethnicity					
	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	0.67****	0.611	–	0.742
	Native American	0.40****	0.355	–	0.451
	Other	0.67****	0.559	–	0.793
Age					
	45 and over	<i>Referent</i>			
	18 to 20	1.20**	1.038	–	1.394
	21 to 24	2.48****	2.164	–	2.848
	25 to 34	1.74****	1.570	–	1.923
	35 to 44	1.39****	1.256	–	1.537
Student					
	No	<i>Referent</i>			
	Yes	1.34****	1.207	–	1.483
Length of time living in NM					
	Less than 1 year	<i>Referent</i>			
	1 to 5 years	0.91	0.749	–	1.099
	More than 5 years	0.86	0.728	–	1.018
Language other than English spoken at home					
	No	<i>Referent</i>			
	Yes	0.74****	0.682	–	0.805
Age at First Drink					
		0.97****	0.963	–	0.981
Max-Rescaled R-Squared based on Logistic Regression = .10					

\*\* $p \leq .01$ , \*\*\* $p \leq .001$ , \*\*\*\* $p \leq .0001$

**Table 10:** Examining the interaction effect of group membership and year on past 30 day alcohol use controlling for the effect of demographic background, time spent living in NM, language spoken at home, and age at first drink. (N=12,957)

Predictors		OR	95% CI		
<b>Group*Year</b>					
Comparison	Year2008	<i>Referent</i>			
	2009	1.11	0.872	–	1.409
	2010	0.97	0.768	–	1.222
SPF SIG	Year2008	<i>Referent</i>			
	2009	0.76**	0.677	–	0.857
	2010	0.69**	0.615	–	0.778
<b>Control Variables</b>					
<b>Biological Sex</b>					
	Female	<i>Referent</i>			
	Male	1.27*****	1.176	–	1.364
<b>Race/Ethnicity</b>					
	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	0.67*****	0.611	–	0.742
	Native American	0.40*****	0.358	–	0.455
	Other	0.66*****	0.557	–	0.791
<b>Age</b>					
	45 and over	<i>Referent</i>			
	18 to 20	1.20*	1.033	–	1.388
	21 to 24	2.48*****	2.161	–	2.845
	25 to 34	1.74*****	1.570	–	1.924
	35 to 44	1.39*****	1.260	–	1.541
<b>Student</b>					
	No	<i>Referent</i>			
	Yes	1.33*****	1.201	–	1.476
<b>Length of time living in NM</b>					
	Less than 1 year	<i>Referent</i>			
	1 to 5 years	0.92	0.756	–	1.109
	More than 5 years	0.87	0.732	–	1.025
<b>Language other than English spoken at home</b>					
	No	<i>Referent</i>			
	Yes	0.74*****	0.681	–	0.804
<b>Age at First Drink</b>					
		0.97*****	0.963	–	0.981
Max-Rescaled R-Squared based on Logistic Regression = .10					

\* $p \leq .05$ , \*\* $p \leq .01$ , \*\*\*\*\* $p \leq .0001$

**Table 11:** Examining the effect of the group membership and year of 30 day 5 or more drinks controlling for the effect of biological sex, race/ethnicity, age, time spent living in NM, language spoken at home, and age at first drink. (N=13,076)

Predictors		OR	95% CI		
Group	Comparison	<i>Referent</i>			
	SPF SIG	0.99	0.892	–	1.098
	2008	<i>Referent</i>			
	2009	0.84***	0.742	–	0.955
	2010	0.83***	0.732	–	0.938
Control Variables					
Biological Sex					
	Female	<i>Referent</i>			
	Male	1.87****	1.707	–	2.043
Race/Ethnicity					
	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	1.18**	1.041	–	1.325
	Native American	1.19*	1.028	–	1.380
	Other	0.95	0.765	–	1.189
Age					
	45 and over	<i>Referent</i>			
	18 to 20	3.69****	3.095	–	4.394
	21 to 24	5.41****	4.611	–	6.351
	25 to 34	3.38****	2.948	–	3.864
	35 to 44	2.26****	1.959	–	2.599
Student					
	No	<i>Referent</i>			
	Yes	1.30****	1.158	–	1.452
Length of time living in NM					
	Less than 1 year	<i>Referent</i>			
	1 to 5 years	1.06	0.849	–	1.333
	More than 5 years	0.98	0.800	–	1.189
Language other than English spoken at home					
	No	<i>Referent</i>			
	Yes	0.93	0.843	–	1.031
Age at First Drink					
		0.94****	0.931	–	0.954
Max-Rescaled R-Squared based on Logistic Regression = .14					

\* $p \leq .05$ , \*\* $p \leq .01$ , \*\*\*\* $p \leq .0001$

**Table 12:** Examining *the interaction effect of group membership and year of 30 day 5 or more drinks* controlling for the effect of biological sex, race/ethnicity, age, time spent living in NM, language spoken at home, and age at first drink. (N=13,076)

Predictors		OR	95% CI		
<b>Group*Year</b>					
Comparison	Year2008	<i>Referent</i>			
	2009	1.09	0.807	–	1.465
	2010	0.91	0.678	–	1.214
SPF SIG	Year2008	<i>Referent</i>			
	2009	0.79*	0.686	–	0.908
	2010	0.82*	0.717	–	0.946
<b>Control Variables</b>					
<b>Biological Sex</b>					
	Female	<i>Referent</i>			
	Male	1.87****	1.708	–	2.044
<b>Race/Ethnicity</b>					
	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	1.17**	1.04	–	1.323
	Native American	1.20*	1.032	–	1.387
	Other	0.95	0.76	–	1.181
<b>Age</b>					
	45 and over	<i>Referent</i>			
	18 to 20	3.67****	3.081	–	4.374
	21 to 24	5.40****	4.601	–	6.337
	25 to 34	3.37****	2.942	–	3.856
	35 to 44	2.26****	1.964	–	2.606
<b>Student</b>					
	No	<i>Referent</i>			
	Yes	1.29****	1.154	–	1.449
<b>Length of time living in NM</b>					
	Less than 1 year	<i>Referent</i>			
	1 to 5 years	1.07	0.853	–	1.339
	More than 5 years	0.98	0.807	–	1.199
<b>Language other than English spoken at home</b>					
	No	<i>Referent</i>			
	Yes	0.93	0.843	–	1.031
<b>Age at First Drink</b>					
		0.94****	0.931	–	0.954

Max-Rescaled R-Squared based on Logistic Regression = .14

\* $p \leq .05$ , \*\* $p \leq .01$ , \*\*\*\* $p \leq .0001$

**Table 13:** Examining the effect of the group membership and year of 30 day driving after drinking too much controlling for the effect of biological sex, race/ethnicity, age, time spent living in NM, language spoken at home, and age at first drink. (N=13,365)

Predictors		OR	95% CI		
Group					
	Comparison	<i>Referent</i>			
	SPF SIG	0.96	0.804	–	1.152
Year					
	2008	<i>Referent</i>			
	2009	1.09	0.868	–	1.358
	2010	0.94	0.753	–	1.178
Control Variables					
Biological Sex					
	Female	<i>Referent</i>			
	Male	1.73****	1.480	–	2.018
Race/Ethnicity					
	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	1.05	0.853	–	1.297
	Native American	1.07	0.827	–	1.384
	Other	1.05	0.725	–	1.514
Age					
	45 and over	<i>Referent</i>			
	18 to 20	3.02****	2.251	–	4.043
	21 to 24	3.57****	2.721	–	4.691
	25 to 34	2.37****	1.855	–	3.023
	35 to 44	1.49**	1.139	–	1.952
Student					
	No	<i>Referent</i>			
	Yes	1.48****	1.227	–	1.787
Length of time living in NM					
	Less than 1 year	<i>Referent</i>			
	1 to 5 years	1.11	0.737	–	1.669
	More than 5 years	1.20	0.836	–	1.717
Language other than English spoken at home					
	No	<i>Referent</i>			
	Yes	1.03	0.866	–	1.224
Age at First Drink					
		0.92****	0.904	–	0.942

Max-Rescaled R-Squared based on Logistic Regression = .08

\* $p \leq .05$ , \*\* $p \leq .01$ , \*\*\*\* $p \leq .0001$

**Table 14:** Examining *the interaction effect of group membership and year of 30 day driving after drinking too much* controlling for the effect of demographic background, time spent living in NM, language spoken at home, and age at first drink. (N=13,365)

Predictors		OR	95% CI		
<b>Group*Year</b>					
Comparison	Year2008	<i>Referent</i>			
	2009	1.19	0.675	–	2.092
	2010	1.11	0.639	–	1.930
SPF SIG	Year2008	<i>Referent</i>			
	2009	1.07	0.840	–	1.372
	2010	0.91	0.708	–	1.160
<b>Control Variables</b>					
<b>Biological Sex</b>					
	Female	<i>Referent</i>			
	Male	1.73****	1.479	–	2.017
<b>Race/Ethnicity</b>					
	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	1.05	0.853	–	1.298
	Native American	1.08	0.831	–	1.393
	Other	1.05	0.727	–	1.518
<b>Age</b>					
	45 and over	<i>Referent</i>			
	18 to 20	3.02****	2.250	–	4.041
	21 to 24	3.57****	2.721	–	4.691
	25 to 34	2.37****	1.858	–	3.026
	35 to 44	1.49**	1.139	–	1.954
<b>Student</b>					
	No	<i>Referent</i>			
	Yes	1.48****	1.225	–	1.785
<b>Length of time living in NM</b>					
	Less than 1 year	<i>Referent</i>			
	1 to 5 years	1.11	0.739	–	1.674
	More than 5 years	1.20	0.836	–	1.716
<b>Language other than English spoken at home</b>					
	No	<i>Referent</i>			
	Yes	1.03	0.866	–	1.224
<b>Age at First Drink</b>		0.92****	0.904	–	0.942

Max-Rescaled R-Squared based on Logistic Regression = .08

\*\* $p \leq .01$ , \*\*\*\* $p \leq .0001$

**Table 15:** Examining the effect of the group membership and year of 30 day driving after 5 or more drinks controlling for the effect of biological sex, race/ethnicity, age, time spent living in NM, language spoken at home, and age at first drink. (N=13,534)

Predictors		OR	95% CI		
Group					
	Comparison	<i>Referent</i>			
	SPF SIG	0.83	0.682	–	1.002
Year					
	2008	<i>Referent</i>			
	2009	0.96	0.75	–	1.225
	2010	0.86	0.675	–	1.101
Control Variables					
Biological Sex					
	Female	<i>Referent</i>			
	Male	1.94****	1.635	–	2.308
Race/Ethnicity					
	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	1.38**	1.073	–	1.761
	Native American	1.54**	1.149	–	2.054
	Other	1.75**	1.198	–	2.555
Age					
	45 and over	<i>Referent</i>			
	18 to 20	3.81****	2.755	–	5.258
	21 to 24	4.25****	3.134	–	5.759
	25 to 34	2.56****	1.939	–	3.383
	35 to 44	1.71***	1.263	–	2.314
Student					
	No	<i>Referent</i>			
	Yes	1.17	0.946	–	1.437
Length of time living in NM					
	Less than 1 year	<i>Referent</i>			
	1 to 5 years	0.97	0.631	–	1.499
	More than 5 years	1.03	0.711	–	1.504
Language other than English spoken at home					
	No	<i>Referent</i>			
	Yes	1.08	0.895	–	1.304
Age at First Drink					
		0.90****	0.879	–	0.919

Max-Rescaled R-Squared based on Logistic Regression = .09

\*\* $p \leq .01$ , \*\*\* $p \leq .001$ , \*\*\*\* $p \leq .0001$

**Table 16:** Examining *the interaction effect of group membership and year of 30 day driving after 5 or more drinks* controlling for the effect of demographic background, time spent living in NM, language spoken at home, and age at first drink. (N=13,534)

Predictors		OR	95% CI		
<b>Group*Year</b>					
Comparison	Year2008	<i>Referent</i>			
	2009	1.25	0.700	–	2.248
	2010	1.02	0.572	–	1.809
SPF SIG	Year2008	<i>Referent</i>			
	2009	0.90	0.681	–	1.178
	2010	0.84	0.641	–	1.104
<b>Control Variables</b>					
<b>Biological Sex</b>					
	Female	<i>Referent</i>			
	Male	1.94****	1.635	–	2.308
<b>Race/Ethnicity</b>					
	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	1.37**	1.073	–	1.760
	Native American	1.55**	1.156	–	2.069
	Other	1.74**	1.191	–	2.541
<b>Age</b>					
	45 and over	<i>Referent</i>			
	18 to 20	3.79****	2.745	–	5.239
	21 to 24	4.24****	3.129	–	5.750
	25 to 34	2.56****	1.937	–	3.379
	35 to 44	1.72****	1.268	–	2.322
<b>Student</b>					
	No	<i>Referent</i>			
	Yes	1.16	0.941	–	1.430
<b>Length of time living in NM</b>					
	Less than 1 year	<i>Referent</i>			
	1 to 5 years	0.98	0.635	–	1.509
	More than 5 years	1.04	0.717	–	1.516
<b>Language other than English spoken at home</b>					
	No	<i>Referent</i>			
	Yes	1.08	0.895	–	1.304
<b>Age at First Drink</b>		0.90****	0.879	–	0.919
Max-Rescaled R-Squared based on Logistic Regression = .09					

\*\* $p \leq .01$ , \*\*\*\* $p \leq .0001$

**Table 17:** Examining the effect of the group membership and year of 12mos driving under the influence of alcohol controlling for demographic background, time spent living in NM, language spoken at home, and age at first drink. (N=13,526)

Predictors		OR	95% CI		
Group					
	Comparison	<i>Referent</i>			
	SPF SIG	0.76****	0.681	–	0.843
Year					
	2008	<i>Referent</i>			
	2009	1.14	0.990	–	1.306
	2010	0.94	0.814	–	1.075
Control Variables					
Biological Sex					
	Female	<i>Referent</i>			
	Male	1.43****	1.296	–	1.570
Race/Ethnicity					
	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	0.98	0.865	–	1.119
	Native American	1.04	0.887	–	1.212
	Other	1.09	0.874	–	1.363
Age					
	45 and over	<i>Referent</i>			
	18 to 20	2.87****	2.389	–	3.441
	21 to 24	3.10****	2.621	–	3.675
	25 to 34	2.39****	2.079	–	2.756
	35 to 44	1.71****	1.477	–	1.989
Student					
	No	<i>Referent</i>			
	Yes	1.09	0.963	–	1.232
Length of time living in NM					
	Less than 1 year	<i>Referent</i>			
	1 to 5 years	0.91	0.721	–	1.145
	More than 5 years	0.80*	0.652	–	0.974
Language other than English spoken at home					
	No	<i>Referent</i>			
	Yes	0.93	0.838	–	1.039
Age at First Drink					
		0.93****	0.913	–	0.937

Max-Rescaled R-Squared based on Logistic Regression = .08

\* $p \leq .05$ , \*\*\*\* $p \leq .0001$

**Table 18:** Examining *the interaction effect of group membership and year of 12mos driving under the influence of alcohol* controlling for demographic background, time spent living in NM, language spoken at home, and age at first drink. (N=13,526)

Predictors		OR	95% CI		
<b>Group*Year</b>					
Comparison	Year2008	<i>Referent</i>			
	2009	2.04	1.451	–	2.865
	2010	1.36	0.973	–	1.911
SPF SIG	Year2008	<i>Referent</i>			
	2009	0.98	0.844	–	1.148
	2010	0.88	0.756	–	1.029
<b>Control Variables</b>					
<b>Biological Sex</b>					
	Female	<i>Referent</i>			
	Male	1.43****	1.298	–	1.572
<b>Race/Ethnicity</b>					
	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	0.98	0.863	–	1.117
	Native American	1.05	0.900	–	1.231
	Other	1.08	0.862	–	1.347
<b>Age</b>					
	45 and over	<i>Referent</i>			
	18 to 20	2.85****	2.372	–	3.417
	21 to 24	3.09****	2.613	–	3.664
	25 to 34	2.39****	2.075	–	2.752
	35 to 44	1.73****	1.488	–	2.004
<b>Student</b>					
	No	<i>Referent</i>			
	Yes	1.08	0.954	–	1.222
<b>Length of time living in NM</b>					
	Less than 1 year	<i>Referent</i>			
	1 to 5 years	0.92	0.728	–	1.157
	More than 5 years	0.81**	0.660	–	0.987
<b>Language other than English spoken at home</b>					
	No	<i>Referent</i>			
	Yes	0.93	0.837	–	1.039
<b>Age at First Drink</b>		0.92****	0.912	–	0.936
Max-Rescaled R-Squared based on Logistic Regression = .08					

\*\* $p \leq .01$ , \*\*\*\* $p \leq .0001$

**Table 19:** Examining the effect of the Group Membership and Year on Attitudes towards Underage Drinking and Over Consumption controlling for demographic background, time spent living in NM, language spoken at home, and age at first drink. (N=13,158) WITHOUT INTERACTION TERM

Predictors		Coefficients	95% CI		
Group					
	Comparison	<i>Referent</i>			
	SPF SIG	0.04**	0.011	–	0.075
Year					
	2008	<i>Referent</i>			
	2009	0.10****	0.062	–	0.144
	2010	0.05*	0.007	–	0.088
<b>Control Variables</b>					
Biological Sex					
	Female	<i>Referent</i>			
	Male	0.10****	0.075	–	0.132
Race/Ethnicity					
	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	0.11****	0.076	–	0.151
	Native American	-0.07**	-0.114	–	-0.023
	Other	0.10**	0.030	–	0.165
Age					
	45 and over	<i>Referent</i>			
	18 to 20	-0.14****	-0.195	–	-0.082
	21 to 24	-0.07**	-0.119	–	-0.017
	25 to 34	-0.07***	-0.114	–	-0.035
	35 to 44	-0.06**	-0.100	–	-0.021
Student					
	No	<i>Referent</i>			
	Yes	-0.01	-0.048	–	0.032
Length of time living in NM					
	Less than 1 year	<i>Referent</i>			
	1 to 5 years	-0.05	-0.124	–	0.028
	More than 5 years	-0.08*	-0.144	–	-0.011
Language other than English spoken at home					
	No	<i>Referent</i>			
	Yes	0.05**	0.016	–	0.080
Age at First Drink					
		0.01****	0.005	–	0.012

R-Square = .02

\* $p \leq .05$ , \*\* $p \leq .01$ , \*\*\* $p \leq .001$ , \*\*\*\* $p \leq .0001$

**Table 20:** Examining the effect of the Group Membership and Year on Attitudes towards Underage Drinking and Over Consumption controlling for demographic background, time spent living in NM, language spoken at home, and age at first drink. (N=13,158) WITH INTERACTION TERM

Predictors		Coefficients	95% CI		
Group	Comparison	<i>Referent</i>			
	SPF SIG	-0.05	-0.145	-	0.035
Year	2008	<i>Referent</i>			
	2009	-0.06	-0.152	-	0.035
	2010	0.01	-0.083	-	0.098
Group*Year	Comparison*Year2008	<i>Referent</i>			
	SPF SIG*Year2009	0.20****	0.100	-	0.307
	SPF SIG*Year2010	0.04	-0.061	-	0.141
<b>Control Variables</b>					
Biological Sex	Female	<i>Referent</i>			
	Male	0.10****	0.073	-	0.130
Race/Ethnicity	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	0.11****	0.077	-	0.153
	Native American	-0.07**	-0.117	-	-0.025
	Other	0.10**	0.036	-	0.172
Age	45 and over	<i>Referent</i>			
	18 to 20	-0.14****	-0.192	-	-0.079
	21 to 24	-0.07*	-0.118	-	-0.015
	25 to 34	-0.07***	-0.112	-	-0.034
	35 to 44	-0.06**	-0.102	-	-0.023
Student	No	<i>Referent</i>			
	Yes	-0.01	-0.046	-	0.034
Length of time living in NM	Less than 1 year	<i>Referent</i>			
	1 to 5 years	-0.05	-0.127	-	0.026
	More than 5 years	-0.08*	-0.150	-	-0.017
Language other than English spoken at home	No	<i>Referent</i>			
	Yes	0.05**	0.016	-	0.080
Age at First Drink		0.01****	0.005	-	0.012

R-Square = .02

\* $p \leq .05$ , \*\* $p \leq .01$ , \*\*\* $p \leq .001$ , \*\*\*\* $p \leq .0001$

**Table 20a:** Examining the effect of the Group Membership and Year on Attitudes towards Underage Drinking and Over Consumption controlling for demographic background, time spent living in NM, language spoken at home, and age at first drink. WEIGHTED DATA WITH INTERACTION TERM

Predictors		Coefficients	95% CI		
Group	Comparison	<i>Referent</i>			
	SPF SIG	-0.18****	-0.272	-	-0.088
Year	2008	<i>Referent</i>			
	2009	-0.16***	-0.255	-	-0.064
	2010	0.07	-0.162	-	0.022
Group*Year	Comparison*Year2008	<i>Referent</i>			
	SPF SIG*Year2009	0.30****	0.191	-	0.402
	SPF SIG*Year2010	0.12*	0.013	-	0.218
<b>Control Variables</b>					
Biological Sex	Female	<i>Referent</i>			
	Male	0.11****	0.080	-	0.136
Race/Ethnicity	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	0.12****	0.084	-	0.156
	Native American	-0.07**	-0.131	-	-0.015
	Other	0.11**	0.027	-	0.189
Age	45 and over	<i>Referent</i>			
	18 to 20	-0.14***	-0.211	-	-0.066
	21 to 24	-0.07*	-0.122	-	-0.007
	25 to 34	-0.07***	-0.105	-	-0.026
	35 to 44	-0.07***	-0.109	-	-0.031
Student	No	<i>Referent</i>			
	Yes	-0.01	-0.054	-	0.034
Length of time living in NM	Less than 1 year	<i>Referent</i>			
	1 to 5 years	-0.10**	-0.174	-	0.024
	More than 5 years	-0.10**	-0.170	-	-0.037
Language other than English spoken at home	No	<i>Referent</i>			
	Yes	0.06***	0.029	-	0.097
Age at First Drink		0.01****	0.005	-	0.011

R-Square = .02

\* $p \leq .05$ , \*\* $p \leq .01$ , \*\*\* $p \leq .001$ , \*\*\*\* $p \leq .0001$

**Table 21:** Examining the effect of the Group Membership and Year on Perception of Risk associated with Drinking and Driving controlling for demographic background, time spent living in NM, language spoken at home, and age at first drink. (N=13,051) WITHOUT INTERACTION TERM

Predictors		OR	95% CI		
<b>Group</b>					
	Comparison	<i>Referent</i>			
	SPF SIG	0.07****	0.035	–	0.098
<b>Year</b>					
	2008	<i>Referent</i>			
	2009	0.0002	-0.040	–	0.040
	2010	0.03	-0.007	–	0.072
<b>Control Variables</b>					
<b>Biological Sex</b>					
	Female	<i>Referent</i>			
	Male	0.09****	0.066	–	0.122
<b>Race/Ethnicity</b>					
	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	0.14****	0.107	–	0.182
	Native American	0.09****	0.044	–	0.133
	Other	0.06	-0.002	–	0.131
<b>Age</b>					
	45 and over	<i>Referent</i>			
	18 to 20	-0.13****	-0.190	–	-0.079
	21 to 24	-0.04	-0.089	–	0.011
	25 to 34	-0.05*	-0.085	–	-0.009
	35 to 44	0.003	-0.035	–	0.042
<b>Student</b>					
	No	<i>Referent</i>			
	Yes	0.04*	0.002	–	0.080
<b>Length of time living in NM</b>					
	Less than 1 year	<i>Referent</i>			
	1 to 5 years	-0.06	-0.135	–	0.011
	More than 5 years	-0.03	-0.091	–	0.037
<b>Language other than English spoken at home</b>					
	No	<i>Referent</i>			
	Yes	0.04**	0.011	–	0.073
<b>Age at First Drink</b>					
		0.01***	0.002	–	0.008

R-Square = .02

\* $p \leq .05$ , \*\* $p \leq .01$ , \*\*\* $p \leq .001$ , \*\*\*\* $p \leq .0001$

**Table 22:** Examining the effect of the Group Membership and Year on Perception of Risk associated with Drinking and Driving controlling for demographic background, time spent living in NM, language spoken at home, and age at first drink. (N=13,051) WITH INTERACTION TERM

Predictors		Coefficients	95% CI		
Group	Comparison	<i>Referent</i>			
	SPF SIG	0.03	-0.055	-	0.120
Year	2008	<i>Referent</i>			
	2009	-0.11*	-0.198	-	-0.016
	2010	0.06	-0.033	-	0.144
Group*Year	Comparison*Year2008	<i>Referent</i>			
	SPF SIG*Year2009	0.14**	0.036	-	0.239
	SPF SIG*Year2010	-0.04	-0.137	-	0.060
Control Variables					
Biological Sex	Female	<i>Referent</i>			
	Male	0.09****	0.065	-	0.121
Race/Ethnicity	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	0.15****	0.109	-	0.183
	Native American	0.09****	0.044	-	0.133
	Other	0.07*	0.004	-	0.136
Age	45 and over	<i>Referent</i>			
	18 to 20	-0.13****	-0.188	-	-0.077
	21 to 24	-0.04	-0.088	-	0.013
	25 to 34	-0.05*	-0.084	-	-0.007
	35 to 44	0.002	-0.036	-	0.040
Student	No	<i>Referent</i>			
	Yes	0.04*	0.003	-	0.081
Length of time living in NM	Less than 1 year	<i>Referent</i>			
	1 to 5 years	-0.06	-0.136	-	0.011
	More than 5 years	-0.03	-0.095	-	0.033
Language other than English spoken at home	No	<i>Referent</i>			
	Yes	0.04**	0.010	-	0.073
Age at First Drink		0.01***	0.002	-	0.009

R-Square = .02

\* $p \leq .05$ , \*\* $p \leq .01$ , \*\*\* $p \leq .001$ , \*\*\*\* $p \leq .0001$

**Table 23:** Examining the effect of the Group Membership and Year on Support for local ATOD Prevention Efforts controlling for the effect of biological sex, race/ethnicity, age, time spent living in NM, language spoken at home, and age at first drink. (N=13,597) WITHOUT INTERACTION TERM

Predictors		Coefficients	95% CI			
Group	Comparison	<i>Referent</i>				
	SPF SIG	0.05***	0.022	-	0.074	
	Year	2008	<i>Referent</i>			
		2009	-0.04**	-0.071	-	-0.006
	2010	-0.03	-0.063	-	0.002	
<b>Control Variables</b>						
<b>Biological Sex</b>						
	Female	<i>Referent</i>				
	Male	-0.12****	-0.143	-	-0.097	
<b>Race/Ethnicity</b>						
	Non-Hispanic White	<i>Referent</i>				
	Hispanic/Latino	0.05***	0.023	-	0.084	
	Native American	-0.003	-0.040	-	0.034	
	Other	-0.04	-0.094	-	0.015	
<b>Age</b>						
	45 and over	<i>Referent</i>				
	18 to 20	-0.28****	-0.330	-	-0.239	
	21 to 24	-0.18****	-0.223	-	-0.140	
	25 to 34	-0.11****	-0.146	-	-0.083	
	35 to 44	-0.06****	-0.092	-	-0.029	
<b>Student</b>						
	No	<i>Referent</i>				
	Yes	-0.06***	-0.092	-	-0.027	
<b>Length of time living in NM</b>						
	Less than 1 year	<i>Referent</i>				
	1 to 5 years	0.003	-0.056	-	0.063	
	More than 5 years	0.04	-0.008	-	0.097	
<b>Language other than English spoken at home</b>						
	No	<i>Referent</i>				
	Yes	0.03*	0.006	-	0.058	
<b>Age at First Drink</b>						
		0.01****	0.003	-	0.009	

R-Square = .04

\* $p \leq .05$ , \*\* $p \leq .01$ , \*\*\* $p \leq .001$ , \*\*\*\* $p \leq .0001$

**Table 24:** Examining the effect of the Group Membership and Year on Support for local ATOD Prevention Efforts controlling for the effect of biological sex, race/ethnicity, age, time spent living in NM, language spoken at home, and age at first drink. (N=13,597) WITH INTERACTION TERM

Predictors		Coefficients	95% CI		
Group	Comparison	<i>Referent</i>			
	SPF SIG	0.004	-0.068	-	0.075
Year	2008	<i>Referent</i>			
	2009	-0.10*	-0.174	-	-0.024
	2010	-0.06	-0.131	-	0.014
Group*Year	Comparison*Year2008	<i>Referent</i>			
	SPF SIG*Year2009	0.08	-0.007	-	0.159
	SPF SIG*Year2010	0.03	-0.049	-	0.112
<b>Control Variables</b>					
Biological Sex	Female	<i>Referent</i>			
	Male	-0.12****	-0.143	-	-0.097
Race/Ethnicity	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	0.05***	0.023	-	0.084
	Native American	-0.004	-0.041	-	0.033
	Other	-0.04	-0.092	-	0.017
Age	45 and over	<i>Referent</i>			
	18 to 20	-0.28****	-0.329	-	-0.238
	21 to 24	-0.18****	-0.223	-	-0.139
	25 to 34	-0.11****	-0.146	-	-0.083
	35 to 44	-0.06****	-0.093	-	-0.030
Student	No	<i>Referent</i>			
	Yes	-0.06***	-0.091	-	-0.027
Length of time living in NM					
	Less than 1 year	<i>Referent</i>			
	1 to 5 years	0.002	-0.057	-	0.062
	More than 5 years	0.04	-0.009	-	0.095
Language other than English spoken at home					
	No	<i>Referent</i>			
	Yes	0.03*	0.006	-	0.058
Age at First Drink		0.01****	0.004	-	0.009

R-Square = .04

\* $p \leq .05$ , \*\*\* $p \leq .001$ , \*\*\*\* $p \leq .0001$

**Table 25:** Examining the effect of the Group Membership and Year on Awareness of Local Prevention Activities controlling for the effect of biological sex, race/ethnicity, age, time spent living in NM, language spoken at home, and age at first drink. (N= 13,704) WITHOUT INTERACTION TERM

Predictors		Coefficients	95% CI			
Group	Comparison	<i>Referent</i>				
	SPF SIG	0.10****	0.075	-	0.119	
	Year	2008	<i>Referent</i>			
		2009	-0.03*	-0.061	-	-0.006
2010		-0.04**	-0.065	-	-0.011	
Control Variables						
Biological Sex						
	Female	<i>Referent</i>				
	Male	0.04***	0.016	-	0.055	
Race/Ethnicity						
	Non-Hispanic White	<i>Referent</i>				
	Hispanic/Latino	0.004	-0.021	-	0.030	
	Native American	-0.03	-0.060	-	0.002	
	Other	-0.01	-0.060	-	0.032	
Age						
	45 and over	<i>Referent</i>				
	18 to 20	-0.02	-0.058	-	0.019	
	21 to 24	0.002	-0.033	-	0.038	
	25 to 34	0.01	-0.019	-	0.035	
	35 to 44	-0.02	-0.046	-	0.007	
Student						
	No	<i>Referent</i>				
	Yes	-0.0004	-0.028	-	0.027	
Length of time living in NM						
	Less than 1 year	<i>Referent</i>				
	1 to 5 years	-0.01	-0.063	-	0.037	
	More than 5 years	0.01	-0.031	-	0.056	
Language other than English spoken at home						
	No	<i>Referent</i>				
	Yes	0.04***	0.019	-	0.063	
Age at First Drink						
		0.003*	0.001	-	0.005	

R-Square = .01

\* $p \leq .05$ , \*\* $p \leq .01$ , \*\*\* $p \leq .001$ , \*\*\*\* $p \leq .0001$

**Table 26:** Examining the effect of the Group Membership and Year on Awareness of Local Prevention Activities controlling for the effect of biological sex, race/ethnicity, age, time spent living in NM, language spoken at home, and age at first drink. (N= 13,704) WITH INTERACTION TERM

Predictors		Coefficients	95% CI			
Group	Comparison	<i>Referent</i>				
	SPF SIG	0.13****	0.069	-	0.190	
	Year	2008	<i>Referent</i>			
		2009	-0.02	-0.086	-	0.040
	2010	0.01	-0.055	-	0.068	
Group*Year	Comparison*Year2008	<i>Referent</i>				
	SPF SIG*Year2009	-0.01	-0.081	-	0.059	
	SPF SIG*Year2010	-0.06	-0.126	-	0.011	
Control Variables						
Biological Sex	Female	<i>Referent</i>				
	Male	0.04***	0.016	-	0.055	
Race/Ethnicity	Non-Hispanic White	<i>Referent</i>				
	Hispanic/Latino	0.01	-0.021	-	0.031	
	Native American	-0.03	-0.059	-	0.003	
	Other	-0.01	-0.058	-	0.034	
Age	45 and over	<i>Referent</i>				
	18 to 20	-0.02	-0.058	-	0.019	
	21 to 24	0.002	-0.033	-	0.038	
	25 to 34	0.01	-0.018	-	0.035	
	35 to 44	-0.02	-0.046	-	0.007	
Student	No	<i>Referent</i>				
	Yes	-0.001	-0.028	-	0.026	
Length of time living in NM	Less than 1 year	<i>Referent</i>				
	1 to 5 years	-0.01	-0.062	-	0.038	
	More than 5 years	0.01	-0.032	-	0.056	
Language other than English spoken at home	No	<i>Referent</i>				
	Yes	0.04***	0.019	-	0.063	
Age at First Drink		0.003*	0.001	-	0.005	

R-Square = .01

\* $p \leq .05$ , \*\*\* $p \leq .001$ , \*\*\*\* $p \leq .0001$

**Table 27:** Examining the effect of the Group Membership and Year on Drinking Norms and Drinking and Driving Norms controlling for the effect of biological sex, race/ethnicity, age, time spent living in NM, language spoken at home, and age at first drink. (N= 13,661)  
WITHOUT INTERACTION TERM

Predictors		Coefficients	95% CI		
Group					
	Comparison	<i>Referent</i>			
	SPF SIG	0.02	-0.009	–	0.058
Year					
	2008	<i>Referent</i>			
	2009	-0.12****	-0.162	–	-0.077
	2010	-0.04*	-0.086	–	-0.002
Control Variables					
Biological Sex					
	Female	<i>Referent</i>			
	Male	-0.33****	-0.359	–	-0.299
Race/Ethnicity					
	Non-Hispanic White	<i>Referent</i>			
	Hispanic/Latino	0.13****	0.087	–	0.166
	Native American	0.18****	0.136	–	0.231
	Other	-0.03	-0.096	–	0.045
Age					
	45 and over	<i>Referent</i>			
	18 to 20	-0.21****	-0.272	–	-0.153
	21 to 24	-0.28****	-0.330	–	-0.222
	25 to 34	-0.23****	-0.273	–	-0.191
	35 to 44	-0.09****	-0.130	–	-0.049
Student					
	No	<i>Referent</i>			
	Yes	0.03	-0.007	–	0.076
Length of time living in NM					
	Less than 1 year	<i>Referent</i>			
	1 to 5 years	0.11**	0.031	–	0.186
	More than 5 years	0.19****	0.121	–	0.256
Language other than English spoken at home					
	No	<i>Referent</i>			
	Yes	0.07****	0.032	–	0.099
Age at First Drink					
		0.01****	0.004	–	0.011

R-Square = .07

\* $p \leq .05$ , \*\* $p \leq .01$ , \*\*\*\* $p \leq .0001$

**Table 28:** Examining the effect of the Group Membership and Year on Drinking Norms and Drinking and Driving Norms controlling for the effect of biological sex, race/ethnicity, age, time spent living in NM, language spoken at home, and age at first drink. (N= 13,661) WITH INTERACTION TERM

Predictors		Coefficients	95% CI			
Group	Comparison	<i>Referent</i>				
	SPF SIG	-0.02	-0.113	-	0.073	
	Year	2008	<i>Referent</i>			
		2009	-0.22****	-0.314	-	-0.120
	2010	-0.04	-0.138	-	0.049	
Group*Year	Comparison*Year2008	<i>Referent</i>				
	SPF SIG*Year2009	0.12*	0.017	-	0.232	
	SPF SIG*Year2010	-0.01	-0.112	-	0.097	
Control Variables						
Biological Sex	Female	<i>Referent</i>				
	Male	-0.33****	-0.360	-	-0.300	
Race/Ethnicity	Non-Hispanic White	<i>Referent</i>				
	Hispanic/Latino	0.13****	0.089	-	0.168	
	Native American	0.18****	0.135	-	0.230	
	Other	-0.02	-0.092	-	0.050	
Age	45 and over	<i>Referent</i>				
	18 to 20	-0.21****	-0.270	-	-0.151	
	21 to 24	-0.27****	-0.328	-	-0.220	
	25 to 34	-0.23****	-0.272	-	-0.190	
	35 to 44	-0.09****	-0.131	-	-0.050	
Student	No	<i>Referent</i>				
	Yes	0.04	-0.006	-	0.077	
Length of time living in NM	Less than 1 year	<i>Referent</i>				
	1 to 5 years	0.11**	0.030	-	0.185	
	More than 5 years	0.18****	0.117	-	0.252	
Language other than English spoken at home	No	<i>Referent</i>				
	Yes	0.07****	0.032	-	0.099	
Age at First Drink		0.01****	0.004	-	0.011	
R-Square = .07						

\* $p \leq .05$ , \*\* $p \leq .01$ , \*\*\*\* $p \leq .0001$