## PREVENT RECOGNIZE & RESPOND

AN OPIOID OVERDOSE.

An easy guide to being a rescue buddy.



âduse **F**ealit

### **RECOGNIZE**

#### SIGNS OF OPIOID OVERDOSE

- Slow breathing or not breathing at all - if still breathing there may be snoring or gurgling sounds.
- Blue or purplish skin (especially lips and nail beds).
- Won't respond to attempts to wake the person.

#### RESPOND

- STEP 1: Rub the breast bone.
- STEP 2: Call 911 and tell them someone is unconscious and not breathing.
- **STEP 3:** Give two breaths, one right after the other.
- STEP 4: Give naloxone (Narcan).
- Step 5: Continue rescue breathing, 1 breath every 5 seconds. Continue for 3 minutes, if no response, give second dose of Narcan.



1. CALL 911



2. RESCUE BREATHING



3. GIVE NALOXONE (NARCAN)

Bernalillo: (505) 328-1391 Doña Ana: (575) 525-5870 Santa Fe / Rio Arriba: (505) 270-5943

#### **PREVENT**

- Use heroin or other opioids safely to avoid an overdose event in the first place - once an OD has occurred, it's a medical emergency.
- Use prescription opioids as prescribed, do not share.
- Use one drug at a time—if using multiple drugs, use less of everything.
- Have a rescue buddy that knows where naloxone is and how to use it.
- Don't use drugs alone.

## **HOW TO GIVE NARCAN**




Remove NARCAN Nasal Spray from the box. Peel back the tab to open the spray.

With the person on their back, tilt their head back and provide support under the neck with your hand. Gently insert the tip of the nozzle into one nostril until your fingers reach the bottom of their nose.



Hold the nasal spray with your thumb on the bottom of the plunger and your first and middle fingers on either side of the nozzle.




Press the plunger firmly to give the dose of NARCAN Nasal Spray. Remove the nozzle from the nostril after giving the dose.



# AFTER THE PERSON WAKES UP

- If possible, stay with the person until medical help arrives. They can overdose again even after they wake up—the naloxone will start to wear off in 30-90 minutes.
- Don't let the person use more drugs.
- Place them in the recovery position.





## **RECOGNIZE**

#### SIGNS OF OPIOID OVERDOSE

• Slo seatl g or n reatly all till athir nere y be sn r gling nds.

Bluor punk ski specially lipud neds).

• Won't respond to attempts to wake the person.

### **RESPOND**

STEP 1: Rub the breast bone.

omeone is ons as an ot breathin

TEP Give two quick bre

TEP Give naloxon

Step 5: Continue rescue breathing, 1 breath every 5 seconds. Continue for 3 minutes, if no response, give second dose of Narcan



1. CALL 911



3. GIVE NALOXONE (NARCAN)

Bernalillo: (505) 264-1638 Doña Ana: (575) 525-5870 Santa Fe / Rio Arriba: (505) 670-4220

#### **PREVENT**

- Use heroin or other opioids safely to avoid and overdose event in the first place - once and OD has occurred, it's a medical emergency.
- Use proposed prescribed do not sha
- Use one deport a time multiple drug se le preverytime t.
- Have a readddy knows where naloxone is and how to use it.
- Don't use drugs alone.

### **HOW TO GIVE NARCAN**


Remove NARCAN Nasal Spray

n the k. Pe ack the p or the s /.

the resonant neir better ad band prove policy er the ck with r.h. Gentle sert that ip he received a prove policy of their nose.



Hold the nasal spray with your thumb on the bottom of the plunger and your first and middle fingers on either side of the nozzle.



t ose of NARCAN Na S y. Remove t 1027 om t ostril after g. dose.



# AFTER THE PERSON WAKES UP

 If possible, stay with the person until medical help arrives. They can overdose againe even after they wake up—the naloxone will start to

Dor et the rson use more drugs.

Pla nem covery position.

